

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 208 | simultaneously with configur\$3 with (acquir\$3 imag\$3 scan\$4) and ("600".clas. "705".clas.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 21:19 |
| L4 | 963 | ("705".clas. "600".clas.) and dicom | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 21:40 |
| L5 | 371 | 4 and parallel | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 21:40 |
| L6 | 13 | 5 and (schedule next) adj patient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 21:40 |
| L7 | 1 | 4 and (simultaneous\$2 "same time" parallel) with (patient scan) adj (schedule demographic type) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 21:44 |
| S1 | 27 | "705".CLAS. and multiple near patient and (scan image imaging scanning) with (configuration configuring parameter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 21:20 |

| | | | | | | |
|----|----|---|--|----|-----|---------------------|
| S2 | 25 | ((("20020099571") or ("5623927") or ("5525905") or ("6505064") or ("20040073453") or ("20030093296") or ("20040114714") or ("20030179245") or ("20050114181") or ("20040138925") or ("20040249676") or ("20020091765"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/01/21 21:21 |
| S3 | 25 | (US-20050114181-\$ or US-20040249676-\$ or US-20040138925-\$ or US-20040114714-\$ or US-20040073453-\$ or US-20030093296-\$ or US-20030179245-\$ or US-20020099571-\$ or US-20020091765-\$).did. or (US-5525905-\$ or US-6505064-\$ or US-5623927-\$).did. or (NL-6505064-\$ or EP-712606-\$ or US-20050114181-\$ or US-20040249676-\$ or US-20040138925-\$ or WO-2004049908-\$ or US-20030179245-\$ or US-20020099571-\$ or WO-200256151-\$ or DE-10149482-\$ or WO-200231743-\$ or EP-1182613-\$ or US-5623927-\$).did. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2008/01/21 21:26 |
| S4 | 1 | S2 and input\$3 same (scan scanning image imaging) with (configuration configuring parameter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 21:28 |
| S5 | 6 | S2 and (scan scanning image imaging) with (configuration configuring parameter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 21:31 |
| S6 | 3 | S2 and (scan scanning image imaging) with (configuration configuring parameter) and (while during) with (patient scan scanning imaging) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 21:34 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S7 | 250 | 705/2.ccls. and (enter\$3 input inputting) same ((scan scanning image imaging) with (configuration configuring parameter) data) same (while during) with (patient scan scanning imaging) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 22:08 |
| S8 | 123 | 705/2.ccls. and (enter\$3 input inputting) same ((scan scanning image imaging) with (configuration configuring parameter) data) with (while during) with (patient scan scanning imaging) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 21:38 |
| S9 | 32 | 705/2.ccls. and (enter\$3 input inputting) same ((scan scanning image imaging) with (configuration configuring parameter) data) with (while during) with (patient scan scanning imaging) and multiple near patient | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 21:38 |
| S10 | 15 | ("4608991" "4629989" "4644275" "4668915" "4691163" "4770182" "4885540" "4920318" "5024229" "5197474" "5416413" "5490513").PN. OR ("5623927").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/21 22:00 |
| S11 | 37 | ("4070611" "4165479" "4506222" "4528510" "4591789").PN. OR ("4668915").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/21 22:07 |
| S12 | 0 | S11 and (enter\$3 input inputting configur\$3) with scan near protocol | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/21 22:08 |
| S13 | 0 | S11 and (enter\$3 input inputting configur\$3) with scan near protocol | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/21 22:08 |
| S14 | 0 | 705/2.ccls. and (creat\$3 enter\$3 input inputting configur\$3) with scan near protocol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/01/21 22:08 |
| S15 | 37 | ("4070611" "4165479" "4506222" "4528510" "4591789").PN. OR ("4668915").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/21 22:10 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| S16 | 3 | VOSNIAK.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/01/22 08:01 |
| S17 | 2 | ("6500141").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/11 14:14 |
| S18 | 3399 | medical and imaging and patient with (throughput efficient efficiency) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:41 |
| S19 | 968 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:41 |
| S20 | 26 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) same input\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:41 |
| S21 | 396 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and second with (patient scan) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:42 |
| S22 | 41 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) same second with (patient scan) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:42 |
| S23 | 14 | ("4105923" "4131802" "4688278" "4727328" "4914682").PN. OR ("5259011").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:43 |
| S24 | 111 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and scan near2 (parameter data prescription) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:46 |
| S25 | 66 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and scan near2 (parameter data prescription) and second with (scan patient) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:47 |

| | | | | | | |
|-----|----|---|--------------------------|----|----|------------------|
| S26 | 3 | ("5018178" "5848126" "6173031").PN. OR ("6522713").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:48 |
| S27 | 48 | medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient efficiency) and scan near2 (parameter data prescription) and second with (scan patient) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:51 |
| S28 | 53 | medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient efficiency) and scan near2 (parameter data prescription) and (second next) with (scan patient) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:56 |
| S29 | 17 | medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient efficiency) and scan near2 (parameter data prescription) same (second next) with (scan patient) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:56 |
| S30 | 4 | medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient efficiency) and scan near2 (parameter data prescription) same (second next) adj (scan patient) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 04:58 |
| S31 | 30 | (US-20040073453-\$ or US-20050114181-\$ or US-20040249676-\$ or US-20020099571-\$ or US-20040138925-\$ or US-20040114714-\$ or US-20030179245-\$ or US-20030093296-\$ or US-20020091765-\$ or US-20050020898-\$ or US-20060222142-\$).did. or (US-6505064-\$ or US-5623927-\$ or US-5525905-\$ or US-5490513-\$ or US-4668915-\$ or US-5606970-\$ or US-5259011-\$ or US-6522713-\$).did. or (WO-2004049908-\$ or US-20050114181-\$ or US-20040249676-\$ or WO- | US-PGPUB; USPAT; DERWENT | OR | ON | 2009/08/02 05:02 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| | | 200256151-\$ or US- 20040138925-\$ or US- 20030179245-\$ or DE- 10149482-\$ or US- 20020099571-\$ or EP- 1182613-\$ or WO- 200231743-\$ or US- 5623927-\$ or EP-712606-\$ or NL-6505064-\$).did. | | | | |
| S32 | 16 | S31 and (simultaneous\$2 during while) with (scan\$4 patient imag\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/02 05:03 |
| S33 | 28 | ("4567894" "4727328" "5178146").PN. OR ("5525905").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:15 |
| S34 | 2 | (S31 S33 S32 378/209. ccls.) and (input\$4 enter \$3) with (scan protocol) with (simultaneous\$2 during while) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:22 |
| S35 | 7 | (S31 S33 S32 378/209. ccls.) and (input\$4 enter \$3) with (scan imag\$3 protocol) with (simultaneous\$2 during while) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:23 |
| S36 | 213 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:25 |
| S37 | 0 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and patient adj throughput | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:25 |
| S38 | 0 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and patient with throughput | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:25 |
| S39 | 122 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and (subject patient) with (throughput time efficien\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:26 |

| | | | | | | |
|-----|------|--|------------------------|----|----|------------------|
| S40 | 16 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) same (subject patient) with (throughput time efficien\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:26 |
| S41 | 122 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and (subject patient) with (throughput time efficien\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:28 |
| S42 | 13 | "600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) with second and (subject patient) with (throughput time efficien \$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:28 |
| S43 | 448 | (HIS hospital adj information) and (input\$3 enter\$3) with data with scan\$3 with (during while simultaneous\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:30 |
| S44 | 238 | (HIS hospital adj information) and imag\$3 and (input\$3 enter\$3) with data with scan\$3 with (during while simultaneous \$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:31 |
| S45 | 8 | (HIS hospital adj information) and imag\$3 and (input\$3 enter\$3) with data with scan\$3 with (during while simultaneous \$3) with patient | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:31 |
| S46 | 3895 | 705/2.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:41 |
| S47 | 9769 | 705/1.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:42 |
| S48 | 24 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and second with (patient scan) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:42 |

| | | | | | | |
|-----|----|--|---------------------------|----|----|---------------------|
| S49 | 45 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:44 |
| S50 | 31 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) and list | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:44 |
| S51 | 27 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) and scan | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:46 |
| S52 | 16 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) and scan with (data protocol parameter) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:47 |
| S53 | 5 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) same scan with (data protocol parameter) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:47 |
| S54 | 0 | (S46 S47) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (simultaneous\$3 while during) with (follow\$3 subsequent next second) with (patient scan) same scan with (data protocol parameter) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:49 |

| | | | | | | |
|-----|-----|--|------------------------|----|----|------------------|
| S55 | 19 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (simultaneous\$3 while during) with (follow\$3 subsequent next second) with (patient scan) same scan with (data protocol parameter) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:49 |
| S56 | 33 | medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (simultaneous\$3 while during) with (follow\$3 subsequent next second) with (patient scan) same (imag\$3 scan) with (data protocol parameter configurat\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:50 |
| S57 | 22 | ("4671256" "4791934" "5490297" "5490513" "5499415" "5525905" "5537452" "5586262" "5748700").PN. OR ("5842987").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 05:51 |
| S58 | 193 | (S46 S47) and triage | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:24 |
| S59 | 33 | (S46 S47) and triage same list | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:24 |
| S60 | 9 | (S46 S47) and triage same list and scan | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:25 |
| S61 | 4 | (S46 S47 "600".clas.) and triage same list same scan \$4 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:26 |
| S62 | 241 | (diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) and list | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:29 |
| S63 | 6 | (diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) with list | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:29 |
| S64 | 170 | (diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) and next with patient | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:30 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S65 | 133 | (diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien\$4 throughput) and next with patient and scan\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:30 |
| S66 | 141 | (diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien\$4 throughput) and next with patient and scan\$4 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:30 |
| S67 | 20 | (diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien\$4 throughput) and database with patient with order | US-PGPUB; USPAT; USOCR | OR | ON | 2009/08/02 07:32 |
| S68 | 2 | ("6891920").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/02 07:37 |
| S69 | 2 | ("6891920").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/10 20:09 |
| S70 | 2 | ("5842987").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/10 20:15 |
| S71 | 5 | next adj patient same (scan MRI CT) with (set adj up configur\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:21 |
| S72 | 5 | (subsequent following next) adj patient same (scan MRI CT) with (set adj up configur\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:24 |
| S73 | 9 | (subsequent following next) adj patient same (scanner imager scan MRI CT) with (set adj up configur\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:24 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S74 | 1 | 2005-131253.NRAN. | DERWENT | OR | ON | 2010/03/10 20:25 |
| S75 | 0 | (enhanc\$3 improv\$3) with (throughput efficiency) with (scanner imager scan) same patient with (set-up configur\$5) with (during while) with (scanned imaged) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:36 |
| S76 | 1 | (enhanc\$3 improv\$3) with (throughput efficiency) with (scanner imager scan) and patient with (set- up configur\$5) with (during while) with (scanned imaged) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:36 |
| S77 | 2 | (enhanc\$3 improv\$3) with (throughput efficiency) with (scanner imager scan) and patient with (set- up configur\$5) with (during while time) with (scanned imaged) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:37 |
| S78 | 932 | (patient scanner) adj (efficiency throughput) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:37 |
| S79 | 28 | S78 and next adj patient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/10 20:38 |
| S80 | 2988 | patient adj (throughput flow) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:25 |
| S81 | 59508 | patient with (throughput flow) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:25 |
| S82 | 775 | patient with (throughput flow) and workflow | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:29 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S83 | 67 | patient with (throughput flow) and workflow and next adj patient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:29 |
| S84 | 1 | patient with (throughput flow) and workflow and next adj patient with (scanner imager imaged scanned) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:31 |
| S85 | 6 | patient with (throughput flow) and workflow and (one next) adj patient with (imaging scanner imager imaged scanned) with (while during as time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:33 |
| S86 | 2 | patient with (throughput flow workflow) and (prepar \$3 setup set adj up input \$3) with (one next) adj patient with (imaging scanner imager imaged scanned) with (while during as "same" adj time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:38 |
| S87 | 15 | ("4105923" "4131802" "4688278" "4727328" "4914682").PN. OR ("5259011").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/03/11 13:41 |
| S88 | 2 | patient with (throughput flow workflow) and (prepar \$3 setup set adj up input \$3 screen\$3) with (one next) adj patient with (imaging scanner imager imaged scanned) with (while during as "same" adj time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 13:51 |
| S89 | 902 | patient same (multi adj task\$3 throughput flow workflow) and (prepar\$3 setup set adj up input\$3 screen\$3) with (imaging scanner imager imaged scanned) with (parallel while during as "same" adj time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:09 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S90 | 835 | patient same (multi adj task\$3 throughput flow workflow) and (prepar\$3 setup set adj up input\$3 screen\$3) with (imaging scanner imager imaged scanned) with (parallel while during as "same" adj time) and (medical radiology MRI scanner) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:11 |
| S91 | 204 | patient same (multi adj task\$3 throughput workflow) and (prepar\$3 setup set adj up input\$3 screen\$3) with (imaging scanner imager imaged scanned) with (parallel while during as "same" adj time) and (medical radiology MRI scanner) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:13 |
| S92 | 2 | next near patient same (multi adj task\$3 throughput workflow) and (prepar\$3 setup set adj up input\$3 screen\$3) with (imaging scanner imager imaged scanned) with (parallel while during as "same" adj time) and (medical radiology MRI scanner) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:18 |
| S93 | 399 | "705".CLAS. and next near patient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:23 |
| S94 | 41 | "705".CLAS. and next near patient same (imag\$3 scan \$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:23 |
| S95 | 30 | "705".CLAS. and next adj patient same (imag\$3 scan \$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 14:24 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S96 | 36 | ("4763356" "5079723" "5432871" "5452416" "5469353" "5675744" "5722420" "5734915" "5749834" "5754178" "5815152" "5826237" "5850221" "5954650" "5974389" "6031528" "6037940" "6081267" "6232971" "6236399" "6243095" "6246783" "6310634" "6330005" "6337748" "6353445" "6356780").PN. OR ("6674449").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/03/11 16:06 |
| S97 | 2 | S96 and next adj patient | US-PGPUB; USPAT; USOCR | OR | ON | 2010/03/11 16:11 |
| S98 | 2 | ("6891920").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/11 17:50 |
| S99 | 281 | patient with schedule same (imager MRI CT x adj ray scanner) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 19:19 |
| S100 | 74 | patient with schedule same (imager MRI CT x adj ray scanner) and "705". clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/11 19:19 |
| S101 | 312 | (computed tomography CT) and scanogram | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 19:14 |
| S102 | 225 | (computed tomography CT) same scanogram | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 19:15 |
| S103 | 9 | (computed tomography CT) same scanogram with ("same" adj time simultaneous\$3 concurrent \$3 cotemporaneous\$3 while during) with data | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/12 20:31 |

EAST Search History (Interference)

< This search history is empty >

3/ 13/ 2010 12:08:39 AM

C:\ Documents and Settings\ eweatherby\ My Documents\ EAST\ Workspaces\ 10616353.wsp